

ARCO Alaska, Inc.

Post Office Box 100360  
Anchorage, Alaska 99510  
Telephone 907 276 1215

36  
RECEIVED

MAY 15 1985

AIR PROGRAMS  
BRANCH

May 10, 1985

Mr. Douglas L. Lowery  
Regional Environmental Supervisor  
Alaska Department of  
Environmental Conservation  
Pouch 1601  
675 Seventh Street  
Fairbanks, AK 99707

SUBJECT: Finalization of O<sub>2</sub> Monitoring Plan (SIP)  
(Permit No. 8436-AA006)

Dear Mr. Lowery:

We have reviewed your letter dated March 15, 1985 regarding the O<sub>2</sub> Monitoring Plan for the Seawater Injection Plant (SIP) within the Prudhoe Bay Unit (Permit No. 8436-AA006). We agree to incorporate the recommendation to monitor O<sub>2</sub> if the Broach heaters are fired continuously for more than two days (48 hours) and to record the O<sub>2</sub> level and heater loading. In any event, the Broach heaters would not be monitored more than once per year.

It is our understanding that with our acceptance of the above recommendation, the O<sub>2</sub> monitoring plan for the SIP is now approved as satisfying condition No. 6 of Permit No. 8436-AA006.

Should you have any questions regarding this matter, please advise me at (907) 263-4307.

Sincerely,

*J. A. Ives*

J. A. Ives  
Sr. Regulatory Compliance Engineer

JAI:t1h-0166

cc: M. Johnston, EPA Region X  
L. Verrelli, ADEC-Juneau  
R. Kreizenbeck, EPA-Juneau  
J. Coutts, ADEC-Fairbanks

USEPA REG



0000137